

Sound-technical Report 208170-01.02

on the predicted noise-situation of a standard „Euro-Rig” during drilling
operation

Date:

18.04.2008

Client:

BENTEC GmbH

Drilling & Oilfield Systems

Deilmannstraße 1

D-48357 Bad Bentheim

Editor:

Dr. Ing. Frank Heilmann

1.) Summary

The following report contains the predicted sound immission of stationary sources of noise at a standard "Euro Rig" during drilling operation.

This analysis shows that the sound-technical requirements according to the conditions of the contract [10] are adhered for the distance of 300 m to the wellcenter. Furthermore, the acceptable values at the permanent workstations on the Drillfloor will not be exceeded.

The sound propagation of the sources of noise is pictured as coloured maps (noise-grid) in the attachment of this report.

The following report has been prepared with great care and in accordance with our best knowledge and belief. *

Rheine, 18.04.2008 FH/BB

KÖTTER Consulting Engineers KG

 **KÖTTER**
CONSULTING ENGINEERS
Bonifatiusstraße 400 · 48432 Rheine
Tel. 0 59 71 - 97 10.0 · Fax 0 59 71 - 97 10.43

* The customer is authorized to transmit those data and information. The present document is only valid with original signatures. Please refer to the actual consulting conditions of our company for copyrights.

TABLE OF CONTENT

1.)	Summary	2
2.)	Situation and Task	4
3.)	Basis of work	5
4.)	Requirements	6
5.)	Calculation of Sound-Propagation	7
5.1.	Basis of Prognosis-Calculation	7
5.2.	Considered sources of noise on the standard „Euro-Rig“	8
5.3.	Results of the calculations	9
6.)	Assessment	11
7.)	Appendix	13

2.) Situation and Task

Bentec GmbH Drilling & Oilfield Systems builds drilling rigs. For the rig type standard "Euro-Rig" the sound-propagation of the stationary sources of noise is of interest, an immission prognosis should be calculated.

The following sources of noise have been considered: Mudpumps, Top-Drive, Drawworks, Shale Shakers, Gen-Sets, Mud Agitators and HPU.

This analysis aims for appraisal of noise-immissions in the neighbourhood and at the workstations on the rig-floor according to DIN ISO 9613-2 [3] during drilling operation.

The results of the calculation of sound-propagation have to be submitted as sound-technical report.

3.) Basis of work

The following rules, standards and data are the basis for the calculation of the sound-immission in the neighbourhood and at the specific workstations of the rig-type standard "Euro-Rig".

- [1] TA Lärm, Sechste Allgemeine Verwaltungsvorschrift zum Bundes-Immissions-schutzgesetz (Technische Anleitung zum Schutz gegen Lärm – TA Lärm),
Ausz. Aug. 1998
- [2] DIN 45641, Mittelung von Schallpegeln
Ausz. Juni 1990 (Averaging of soundlevels, edition 06/1990)
- [3] DIN ISO 9613-2, Dämpfung des Schalls bei der Ausbreitung im Freien,
Teil 2: Allgemeines Berechnungsverfahren,
Ausz. Okt. 1999 (Sound absorption, when propagated outside, general rules for
calculation)
- [4] Calculation-Software Cadna/A®, Version 3.7.123, from DataKustik GmbH, Munich,
Germany
- [5] „Euro-Rig“ 350T Layout, Drawing-No. 1-97.98-1034534, handed over by Bentec
- [6] „Euro-Rig“ 1, Drill Floor Layout, Drawing-No. 0-97.98-1036750, handed over by
Bentec
- [7] Sound technical Report No. 806255-01.01 on Sound- and Vibration-Analysis of the
Land Drilling Rig T-208, performed in Ebenthal, Austria, KÖTTER Consulting
Engineers KG, 11.10.2006
- [8] Report No. 4500068843 with the results from noise measurements performed on
the Top-Drive unit PTD-500-AC at Maritime Hydraulics in Kristiansand, multiconsult
AS, handed over by Bentec
- [9] Sound-technical analysis on the Drawworks Bentec E-1500 AC during a simulated
drilling-operation at the Bentec Yard in Bad Bentheim, KÖTTER Consulting
Engineers KG, 11.04.2008
- [10] Contract-conditions for the Standard „Euro-Rig“, handed over by Bentec, excerpt
only

4.) Requirements

The contract-conditions between Bentec and the Buyer of the standard "Euro-Rig" determines the following sound-technical requirements:

„Requirements regarding noise levels:

- Maximum of 55 dB(A) at 300 meter distance from the well center
- Maximum of 80 dB(A) at the individual work places”

For this calculation, these a. m. values will be considered as the maximum allowable continuous sound pressure level L_{Aeq} .

The prognosis of the sound propagation reflects the operation condition: drilling.

In order to receive the maximum values (worst-case), all stationary sources of noise are considered to be in operation in parallel. Traffic sound, like truck-movements, forklift-traffic or deliveries will be ignored.

According to Bentec are workstations, where personnel will be working permanently, are at the Drilffloor (close to the well) as well as in the drillercabin.

5.) Calculation of Sound-Propagation

5.1. Basis of Prognosis-Calculation

Bentec GmbH Drilling & Oilfield Systems needs a sound propagation calculation for the standard "Euro-Rig" type.

The rig components on the type standard "Euro-Rig" comply mostly with the aggregates of the land drilling rig T-208 [5], which has been analysed by KÖTTER Consulting Engineers KG in 2006. Only a different Top-Drive and another Drawworks is installed on the standard "Euro-Rig". On this, the analysis-results [8] and [9] are available.

The calculation of the sound immission is carried out by use of the Cadna/A® [4] software. The calculation of propagation is conducted according DIN ISO 9613-2 [3]. In order to consider the meteorological correction C_{met} , $C_0 = 2$ dB is applied. The relative humidity is considered with 70 %, the atmospheric pressure with 1,013.5 hPa.

The calculation of single points as well as the calculation of areas of the noise-grid map are accomplished for the far-distance field in a height of 5 m over ground, at an area of 1,000 x 1,000 m. This height usually reflects the 1st floor of houses.

The noise-immissions at the relevant workstations are accomplished for the drill-floor. For staff which operates upright at the well, a height of 1.6 m, for staff which is sitting during their work (drillercabin), a height of 0.8 m above Drillfloor has to be considered.

5.2. Considered sources of noise on the standard „Euro-Rig“

As sources of noise all in [7] captured part-soundpowerlevels of each single rig component as well as the Euro-Rig Top-Drive [8] and Drawworks [9] are considered. Which are:

- 1) Top-Drive, PTD-500-AC, Maritime Hydraulik ¹
- 2) 3x Mudpumps, TPK 7 ½" x 12 / 1.600, Wirth
- 3) Drawworks, Bentec E-1500 AC ²
- 4) 3x Shale Shakers
- 5) 2x Diesel-Generator-Set, CAT 3512, Caterpillar
- 6) Mud Agitators at the tank farm
- 7) Hydraulic Power Unit (HPU)

For the modelling of the emission-sources, point-, line- and area-sound sources are used. The location of the emission-sources can be seen at the GA-Drawing in attachment A.

In order to receive the maximum values (worst-case), all stationary sources of noise are considered to be in operation in parallel. Traffic sound, like truck-movements, forklift-traffic, drill-pipe-handling or deliveries will be ignored.

Possible local screens like walls, topografic conditions, additional container etc. are not considered.

¹ main shaft speed: 216 rpm, drive motor blower: maximum speed, $L_W = 99$ dB(A)

² main blower from the AC-motor: 75 % maximum speed

5.3. Results of the calculations

For the four main directions (North, East, South, West) and the sub directions (North-East, South-East, South-West, North-West), the predicted immission level is calculated. The distance is measured from wellcenter in $d = 100\text{ m}$, 200 m , 300 m etc. up to 500 m , shown as distance-tables.

Based on the available rig layout drawing of the standard "Euro-Rig" [5], it is assumed, that eastwards of the well (coordinates: $x, y / 0,0$) the Mudpumps and westwards of the well the Catwalk is installed.

The following table shows the calculated immission level for the far-distance field (drilling operation) according to [3]:

distance [m]	predicted immission level L_{Aeq} [dB(A)]							
	N	NO	O	SO	S	SW	W	NW
100	56.1	57.5	60.4	58.8	57.2	55.8	53.5	56.1
200	48.9	50.1	52.1	50.8	50.2	49.6	46.5	49.4
300	44.9	45.8	47.7	46.5	46.1	45.7	42.4	45.4
400	42.1	42.8	44.7	43.6	43.3	42.9	39.5	42.6
500	39.9	40.5	42.4	41.3	41.0	40.7	37.2	40.3

Table 1: predicted immission level in different distances to the well, operation condition: drilling

The table shows that in a distance to the well of 300 m , depending on main direction, immission-level from approx. 42 dB(A) up to 48 dB(A) have to be expected. According to the part-level readout, the Top-Drive and the Mud-pumps add the highest noise to the sound-situation.

Attachment B shows the results of the calculation far-distance field as a coloured noise-grid map.

The standard “Euro-Rig” shows an indicatory characteristic, i. e. eastwards of the wellcenter the highest sound pressure level have to be expected.

The following table shows the immission-level for the workstations during drilling, calculated according to [3]:

workstation	account	predicted immission-level L_{Aeq} [dB(A)]
wellcenter	standing work	70.1
Drillercabin	sedentary work	< 60

Table 2: predicted immission-level at the workstations on the Drillfloor during drilling-operation

At the permanent workstations around the well an immission-level of $L_{Aeq} = 70,1$ dB(A) is predicted during drilling operations. The noise-situation on the Drillfloor is mainly affected by the Top-Drive. During drilling operation, the adjacent Drawworks has an ancillary effect towards the general noise-situation.

6.) Assessment

The following table shows the predicted immission-levels in a distance of 300 m from well against the maximum allowable level according to [10].

direction	predicted immission-level L_{Aeq} [dB(A)]	requirement [dB(A)]	exceedance
N	44.9	55	none
NO	45.8		none
O	47.7		none
SO	46.5		none
S	46.1		none
SW	45.7		none
W	42.4		none
NW	45.4		none

Table 3: Comparison of predicted immission-levels in a distance of 300 m against the maximum allowable level according to [10]

In a distance of 300 m from wellcenter, there is in no direction an exceedance of the maximum allowable value with respect to the contract-condition [10]. In the worst case, this value is undercut by 7 dB in the eastern area of the drilling-rig area.

The following table shows the predicted immission-level at the workstations against the maximum allowable levels according to [10].

workstation	predicted immission-level L_{Aeq} [dB(A)]	requirement [dB(A)]	exceedance
wellcenter	70.1	80	none
Drillercabin	< 60		none

Table 4: Comparison of predicted immission-level at the workstation against the maximum allowable level according to [10]

The immission-level at the workstations on the Drillfloor are below the maximum allowable level, as fixed in the contract [10]. At the rig-floor well-area the level is undercut by 9 dB.

Basis of the prognosis calculation are results of measurements during a (partly simulated) drilling operation [7], [8] und [9].

In the calculated immission-levels are no additional surcharges for a possible tonal and impulsive components. Peaklevels, e. g. effected through the handling of the drill-pipes, are exceeding the predicted immission-levels.

The accuracy of this prognosis is appraised with approx. 2 dB.

7.) **Appendix**

Appendix A: digitalized General Arrangement (GA) drawing of the standard “Euro-Rig” layout

Appendix B: Noise-Grid map: sound propagation Standard „Euro-Rig“

Appendix B1: Noise-Grid map up to 300 m

Appendix B2: Noise-Grid map up to 100 m

Appendix B3: Noise-Grid map of the Drillfloor

Appendix A: digitalized General Arrangement (GA) drawing of the standard "Euro-Rig" layout

Project-No.: 208170-01.01

layout Standard "Euro-Rig" with the position of the noise sources und buildings




Maßstab: 1 : 300


Auftraggeber:
Bentec GmbH
Drilling & Oilfield Systems
Deilmannstrasse 1
48455 Bad Bentheim

april 2008


Cadmus/A,
Version 3.7.123 (32 Bit)
P:\CadmusA\IP208000\208170-01_Bertect\Quellen.cns

2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991	1990	1989	1988	1987	1986	1985	1984	1983	1982	1981	1980	1979	1978	1977	1976	1975	1974	1973	1972	1971	1970	1969	1968	1967	1966	1965	1964	1963	1962	1961	1960	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950	1949	1948	1947	1946	1945	1944	1943	1942	1941	1940	1939	1938	1937	1936	1935	1934	1933	1932	1931	1930	1929	1928	1927	1926	1925	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911	1910	1909	1908	1907	1906	1905	1904	1903	1902	1901	1900	1899	1898	1897	1896	1895	1894	1893	1892	1891	1890	1889	1888	1887	1886	1885	1884	1883	1882	1881	1880	1879	1878	1877	1876	1875	1874	1873	1872	1871	1870	1869	1868	1867	1866	1865	1864	1863	1862	1861	1860	1859	1858	1857	1856	1855	1854	1853	1852	1851	1850	1849	1848	1847	1846	1845	1844	1843	1842	1841	1840	1839	1838	1837	1836	1835	1834	1833	1832	1831	1830	1829	1828	1827	1826	1825	1824	1823	1822	1821	1820	1819	1818	1817	1816	1815	1814	1813	1812	1811	1810	1809	1808	1807	1806	1805	1804	1803	1802	1801	1800	1799	1798	1797	1796	1795	1794	1793	1792	1791	1790	1789	1788	1787	1786	1785	1784	1783	1782	1781	1780	1779	1778	1777	1776	1775	1774	1773	1772	1771	1770	1769	1768	1767	1766	1765	1764	1763	1762	1761	1760	1759	1758	1757	1756	1755	1754	1753	1752	1751	1750	1749	1748	1747	1746	1745	1744	1743	1742	1741	1740	1739	1738	1737	1736	1735	1734	1733	1732	1731	1730	1729	1728	1727	1726	1725	1724	1723	1722	1721	1720	1719	1718	1717	1716	1715	1714	1713	1712	1711	1710	1709	1708	1707	1706	1705	1704	1703	1702	1701	1700	1699	1698	1697	1696	1695	1694	1693	1692	1691	1690	1689	1688	1687	1686	1685	1684	1683	1682	1681	1680	1679	1678	1677	1676	1675	1674	1673	1672	1671	1670	1669	1668	1667	1666	1665	1664	1663	1662	1661	1660	1659	1658	1657	1656	1655	1654	1653	1652	1651	1650	1649	1648	1647	1646	1645	1644	1643	1642	1641	1640	1639	1638	1637	1636	1635	1634	1633	1632	1631	1630	1629	1628	1627	1626	1625	1624	1623	1622	1621	1620	1619	1618	1617	1616	1615	1614	1613	1612	1611	1610	1609	1608	1607	1606	1605	1604	1603	1602	1601	1600	1599
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------





2007		2010		2011		2012		2013		2014		2015		2016		2017		2018		2019		2020		2021		2022		2023		2024		2025		2026		2027		2028		2029		2030		2031		2032		2033		2034		2035		2036		2037		2038		2039		2040		2041		2042		2043		2044		2045		2046		2047		2048		2049		2050		2051		2052		2053		2054		2055		2056		2057		2058		2059		2060		2061		2062		2063		2064		2065		2066		2067		2068		2069		2070		2071		2072		2073		2074		2075		2076		2077		2078		2079		2080		2081		2082		2083		2084		2085		2086		2087		2088		2089		2090		2091		2092		2093		2094		2095		2096		2097		2098		2099		2100		2101		2102		2103		2104		2105		2106		2107		2108		2109		2110		2111		2112		2113		2114		2115		2116		2117		2118		2119		2120		2121		2122		2123		2124		2125		2126		2127		2128		2129		2130		2131		2132		2133		2134		2135		2136		2137		2138		2139		2140		2141		2142		2143		2144		2145		2146		2147		2148		2149		2150		2151		2152		2153		2154		2155		2156		2157		2158		2159		2160		2161		2162		2163		2164		2165		2166		2167		2168		2169		2170		2171		2172		2173		2174		2175		2176		2177		2178		2179		2180		2181		2182		2183		2184		2185		2186		2187		2188		2189		2190		2191		2192		2193		2194		2195		2196		2197		2198		2199		2200		2201		2202		2203		2204		2205		2206		2207		2208		2209		2210		2211		2212		2213		2214		2215		2216		2217		2218		2219		2220		2221		2222		2223		2224		2225		2226		2227		2228		2229		2230		2231		2232		2233		2234		2235		2236		2237		2238		2239		2240		2241		2242		2243		2244		2245		2246		2247		2248		2249		2250		2251		2252		2253		2254		2255		2256		2257		2258		2259		2260		2261		2262		2263		2264		2265		2266		2267		2268		2269		2270		2271		2272		2273		2274		2275		2276		2277		2278		2279		2280		2281		2282		2283		2284		2285		2286		2287		2288		2289		2290		2291		2292		2293		2294		2295		2296		2297		2298		2299		2300		2301		2302		2303		2304		2305		2306		2307		2308		2309		2310		2311		2312		2313		2314		2315		2316		2317		2318		2319		2320		2321		2322		2323		2324		2325		2326		2327		2328		2329		2330		2331		2332		2333		2334		2335		2336		2337		2338		2339		2340		2341		2342		2343		2344		2345		2346		2347		2348		2349		2350		2351		2352		2353		2354		2355		2356		2357		2358		2359		2360		2361		2362		2363		2364		2365		2366		2367		2368		2369		2370		2371		2372		2373		2374		2375		2376		2377		2378		2379		2380		2381		2382		2383		2384		2385		2386		2387		2388		2389		2390		2391		2392		2393		2394		2395		2396		2397		2398		2399		2400		2401		2402		2403		2404		2405		2406		2407		2408		2409		2410		2411		2412		2413		2414		2415		2416		2417		2418		2419		2420		2421		2422		2423		2424		2425		2426		2427		2428		2429		2430		2431		2432		2433		2434		2435		2436		2437		2438		2439		2440		2441		2442		2443		2444		2445		2446		2447		2448		2449		2450		2451		2452		2453		2454		2455		2456		2457		2458		2459		2460		2461		2462		2463		2464		2465		2466		2467		2468		2469		2470		2471		2472		2473		2474		2475		2476		2477		2478		2479		2480		2481		2482		2483		2484		2485		2486		2487		2488		2489		2490		2491		2492		2493		2494		2495		2496		2497		2498		2499		2500		2501		2502		2503		2504		2505		2506		2507		2508		2509		2510		2511		2512		2513		2514		2515		2516		2517		2518		2519		2520		2521		2522		2523		2524		2525		2526		2527		2528		2529		2530		2531		2532		2533		2534		2535		2536		2537		2538		2539		2540		2541		2542		2543		2544		2545		2546		2547		2548		2549		2550		2551		2552		2553		2554		2555		2556		2557		2558		2559		2560		2561		2562		2563		2564		2565		2566		2567		2568		2569		2570		2571		2572		2573		2574		2575		2576		2577		2578		2579		2580		2581		2582		2583		2584		2585		2586		2587		2588		2589		2590		2591		2592		2593		2594		2595		2596		2597		2598		2599		2600		2601		2602		2603		2604		2605		2606		2607		2608		2609		2610		2611		2612		2613		2614		2615		2616		2617		2618		2619		2620		2621		2622		2623		2624		2625		2626		2627		2628		2629		2630		2631		2632		2633		2634		2635		2636		2637		2638		2639		2640		2641		2642		2643		2644		2645		2646		2647		2648		2649		2650		2651		2652		2653		2654		2655		2656		2657		2658		2659		2660		2661		2662		2663		2664		2665		2666		2667		2668		2669		2670		2671		2672		2673		2674		2675		2676		2677		2678		2679		2680		2681		2682		2683		2684		2685		2686		2687		2688		2689		2690		2691		2692		2693		2694		2695		2696		2697		2698		2699		2700		2701		2702		2703		2704		2705		2706		2707		2708		2709		2710		2711		2712		2713		2714		2715		2716		2717		2718		2719		2720		2721		2722		2723		2724		2725		2726		2727		2728		2729		2730		2731		2732		2733		2734		2735		2736		2737		2738		2739		2740		2741		2742		2743		2744		2745		2746		2747		2748		2749		2750		2751		2752		2753		2754		2755		2756		2757		2758		2759		2760		2761		2762		2763		2764		2765		2766		2767		2768		2769		2770		2771		2772		2773		2774		2775		2776		2777		2778		2779		2780		2781		2782		2783		2784		2785		2786		2787		2788		2789		2790		2791		2792		2793		2794		2795		2796		2797		2798		2799		2800		2801		2802		2803		2804		2805		2806		2807		2808		2809		2810		2811		2812		2813		2814		2815		2816		2817		2818		2819		2820		2821		2822		2823		2824		2825		2826		2827		2828		2829		2830		2831		2832		2833		2834		2835		2836		2837		2838		2839		2840		2841		2842		2843		2844		2845		2846		2847		2848		2849		2850		2851		2852		2853		2854		2855		2856		2857		2858		2859		2860		2861		2862		2863		2864		2865		2866		2867		2868		2869		2870		2871		2872		2873		2874		2875		2876		2877		2878		2879		2880		2881		2882		2883		2884		2885		2886		2887		2888		2889		2890		2891		2892		2893		2894		2895		2896		2897		2898		2899		2900		2901		2902		2903		2904		2905		2906		2907		2908		2909		2910		2911		2912		2913		2914		2915		2916		2917		2918		2919		2920		2921		2922		2923		2924		2925		2926		2927		2928		2929		2930		2931		2932		2933		2934		2935		2936		2937		2938		2939		2940		2941		2942		2943		2944		2945		2946		2947		2948		2949		2950		2951		2952		2953		2954		2955		2956		2957		2958		2959		2960		2961		2962		2963		2964		2965		2966		2967		2968		2969		2970		2971		2972		2973		2974		2975		2976		2977		2978		2979		2980		2981		2982		2983		2984		2985		2986		2987		2988		2989		2990		2991		2992		2993		2994		2995		2996		2997		2998		2999		3000		3001		3002		3003		3004		3005		3006		3007		3008		3009		3010		3011		3012		3013		3014		3015		3016		3017		3018		3019		3020		3021		3022		3023		3024		3025		3026		3027		3028		3029		3030		3031		3032		3033		3034		3035		3036		3037		3038		3039		304	
------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	-----	--



Project Name		Drawing Title		Drawing No.	
0-97-98-1035750		Drill Floor Layout		0-97-98-1035750	
Scale		Sheet		Project	
1:25		EUBO BIG 1		0-97-98-1035750	
Author		Checked		Approved	
J. J. J. J.		J. J. J. J.		J. J. J. J.	
Date		Date		Date	
1997		1997		1997	
Drawing		Drawing		Drawing	
0-97-98-1035750		0-97-98-1035750		0-97-98-1035750	
CAD DRAWING		CAD DRAWING		CAD DRAWING	
NOT TO BE USED FOR ANY OTHER PROJECT WITHOUT THE APPROVAL OF THE ORIGINAL DESIGNER		NOT TO BE USED FOR ANY OTHER PROJECT WITHOUT THE APPROVAL OF THE ORIGINAL DESIGNER		NOT TO BE USED FOR ANY OTHER PROJECT WITHOUT THE APPROVAL OF THE ORIGINAL DESIGNER	

Appendix B: Noise-Grid map: sound propagation Standard „Euro-Rig“

Appendix B1: Noise-Grid map up to 300 m


Project-No.: 208170-01.01

noise-map

Standard "Euro-Rig"

sound pressure level in dB(A)

calculated height over ground
H = 5 m




Maßstab: 1 : 2500

Auftraggeber:

Bentec GmbH
Drilling & Oilfield Systems
Deilmannstrasse 1
48455 Bad Bentheim

april 2008



Appendix B2: Noise-Grid map up to 100 m


Project-No.: 208170-01.01

noise-map

Standard "Euro-Rig"

sound pressure level in dB(A)

calculated height over ground
H = 1,6 m




Maßstab: 1 : 800

Auftraggeber:

Bentec GmbH
Drilling & Oilfield Systems
Deilmannstrasse 1
48455 Bad Bentheim

april 2008



Appendix B3: Noise-Grid map of the Drillfloor


Project-No.: 208170-01.01

noise-map

Standard "Euro-Rig"

sound pressure level in dB(A)

calculated height over drillfloor
H = 1,6 m



Maßstab: 1 : 50

Auftraggeber:

Bentec GmbH
Drilling & Oilfield Systems
Deilmannstrasse 1
48455 Bad Bentheim

april 2008

